


Assemble the lower fuselage 21

In this issue, we will attach the motor to the landing gear and combine the lower fuselage parts we have assembled so far.



Tools Needed

The following tools and materials are required to assemble this issue. Prepare them before starting work.

☐ **Screwdriver**
Included in Issue 1.

Check!

Be sure to check the assembly video for detailed demonstrations.



Explanation of Symbols



Indicates where to attach included screws.



Indicates when to use adhesive. The correct adhesive will be indicated for each instance.




Cautions and Prohibitions.



Key points for using tools and techniques.


1 Attach the motor to the landing gear



Insert the connector of the **45-2 Motor Cable** into the **45-1 Motor** as shown.




Set the motor assembled in step 1 into the landing gear assembled in issue 44 as shown.




Secure the position of the landing gear assembled in step 2 with EP screws (M1.7x4mm) at two locations as shown.


2 Assemble the lower fuselage




Assemble the lower fuselage assembled in issue 35 with the landing gear assembled in 1 as shown.




Secure the position of the fuselage parts assembled in step 1 with six **GP screws (M2.0×4mm)** as shown.




Insert the connector of the **45-3 4 Pin Cable** into the air intake assembled in issue 34 as shown.




Attach the magnet part of the **J/AAQ-2** assembled in issue 36 to the metal part of the air intake assembled in step 3.



Insert the air intake assembled in step 4 (or step 3) into the lower fuselage assembled in step 2.



Secure the position of the lower fuselage assembled in step 6 with two **FP screws (M3.0×6mm)** as shown.



Secure the position of the lower fuselage assembled in step 6 with four **GP screws (M2.0×4mm)** as shown.

Complete!

The assembly for this issue is now complete. With each section of the lower fuselage assembled, the F-2 is nearing completion.

