



Assemble the AAM-4 ①

Issue 65




This issue will assemble the mock AAM-4 (Type 99 air-to-air missile). Please handle the magnets with care.



65-1 AAM-4 Body 1



65-2 AAM-4 Body 2



65-4 AAM-4 Tip



65-3 AAM-4 Parts 1



65-5 Aileron×4



65-6 Tail Fin×4



65-9 Magnet×2



65-7 AAM-4 Parts 2



65-8 AAM-4 Parts 3



Tools Needed

The following tools and materials are required to assemble this issue. Prepare them before starting work.

Explanation of Symbols



Indicates where to attach included screws.



Indicates when to use adhesive. The correct adhesive will be indicated for each instance.



Cautions and Prohibitions.



Key points for using tools and techniques.

☐ **ABS Cement**
For joining ABS plastic parts.

☐ **Universal Adhesive**
For joining metal parts.


☐ **Modeling Nippers**
For removing parts from the model sprues.

Check!


Be sure to check the assembly video for detailed demonstrations.




1 Assemble the AAM-4



Combine **65-1 AAM-4 Body 1** and **65-2 AAM-4 Body 2** as shown, then insert **65-3 AAM-4 Parts 1** from the side of **65-2**.




Insert **65-4 AAM-4 Tip** and two pieces of **65-9 Magnets** into the AAM-4 Body assembled in step **1** as shown.



Cut **65-8 AAM-4 Parts 3** from the sprue, and insert it together with **65-7 AAM-4 Parts 2** into the AAM-4 assembled in step **2** as shown.




4



If loose when inserting, apply a small amount of ABS Cement to the base of **65-6** before inserting again.

Insert the four **65-6 Tail Fins** into the AAM-4 Body assembled in step 3 as shown.

5



If loose when inserting, apply a small amount of ABS Cement to the base of **65-5** before inserting again.

Insert the four **65-5 Ailerons** into the AAM-4 Body assembled in step 4 as shown.

Complete!

The assembly for this issue is now complete.

