




Assemble the AIM-7^③

Issue 75

In this issue we will assemble two DATM-AIM-7 missiles. Pay attention to the orientation of the magnets.



Tools Needed

The following tools and materials are required to assemble this issue. Prepare them before starting work.

☐ **ABS Cement**
For joining ABS parts.

☐ **Universal Adhesive**
For joining metal parts.

Check!

Be sure to check the assembly video for detailed demonstrations.



Explanation of Symbols



Indicates where to attach included screws.



Indicates when to use adhesive. The correct adhesive will be indicated for each instance.




Cautions and Prohibitions.



Key points for using tools and techniques.

1 Assemble the AIM-7


①




Insert **75-1 AIM-7 Body 1** into **75-2 AIM-7 Body 2** as shown. Create two identical parts.

If loose when inserting, apply a small amount of ABS Cement to the inner protrusion of **75-1** before inserting again.







Insert **75-3 AIM-7 Part** into the **75-2** side of the **AIM-7 Body** assembled in step **1** as shown. Create two identical parts.




Insert **75-4 AIM-7 Tip** into the **AIM-7 Body** assembled in step **2** as shown. Create two identical parts.



Insert two **75-7 Magnets** into the **AIM-7 body** assembled in step **3** as shown. Create two identical parts.



Insert **75-6 AIM-7 Tail Fins (4 pieces)** into the **AIM-7 body** assembled in step **4** as shown. Create two identical parts.



Insert **75-5 AIM-7 Ailerons (4 pieces)** into the **AIM-7 body** assembled in step **5** as shown. Create two identical parts.

Complete!

The assembly for this issue is now complete.

