



Assemble the 600-gallon fuel tank ①

Issue 82



In this issue we will assemble the 600-gallon fuel tank. Pay attention to the orientation of the parts.



82-1 Pylon Base 1

82-2 Pylon Base 2

82-6 Drop Tank Part 1

82-3 Drop Tank Base 1

82-4 Drop Tank Base 2

82-7 Drop Tank Fin×2

82-5 Drop Tank Nose

82-8 Pylon Part×4

82-9 Magnet (Large)×4

82-10 Magnet (Small)×2

PWB Screw (M2.0×4mm) ×4 (1 spare)

Tools Needed

The following tools and materials are required to assemble this issue. Prepare them before starting work.

Explanation of Symbols



Indicates where to attach included screws.



Indicates when to use adhesive. The correct adhesive will be indicated for each instance.



Cautions and Prohibitions.



Key points for using tools and techniques.



Screwdriver

For tightening screws.



Universal Adhesive

For joining metal parts.



Modeling Nippers


For removing parts from the model sprues.

Check!


Be sure to check the assembly video for detailed demonstrations.



1 Assemble the Pylon




Combine **82-1 Pylon Base 1** and **82-2 Pylon Base 2** as shown and insert **82-8 Pylon Parts** cut from the sprue as shown.





Insert two **82-9 Magnets (Large)** and two **82-10 Magnets (Small)** into the pylon assembled in step **1** as shown.

2 Assemble the Drop Tank



Insert two **82-9 Magnets (Large)** into **82-6 Drop Tank Part 1**, then set it in the **82-4 Drop Tank Base 2** as shown. Secure it in three places using **PWB screws (M2.0x4mm)**.



Combine the Pylon assembled in step ① with the Drop Tank assembled in step ② as shown.

Complete!

The assembly for this issue is now complete.

